

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 SDS Ref.: HAIFA Date of issue: 7/31/2017 Revision date: 10/15/2019 Supersedes: 10/5/2017 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	
Trade name	
Type of product	
Product group	

: Mixture : MULTIFEED : Fertilizer

: EC FERTILIZER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1	2	•	1	•	I	R	е	le	v	12	1	n	t	ic	le	n	tif	ie	d	ι	JS	56	es	;	

Main use category Use of the substance/mixture : Professional use : Fertilizer

1.2.2. Uses advised against

No additional information available **1.3. Details of the supplier of the safety data sheet** Haifa North West Europe Generaal de Wittelaan 17 P.O. Box bus 16 B-2800 Mechelen - Belgium T +32-15-270811 - F +32-15-270815 NorthWestEurope@haifa-group.com - www.haifa-group.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS111		111	In an emergency telephone NHS111 or contact a doctor.
United Kingdom	National Poisons Information Centre Beaumont Hospital	Dublin 9, Ireland	(01) 809 2166	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 3	H272
Acute toxicity (oral), Category 4	H302
Serious eye damage/eye irritation, Category 1	H318
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS03 GHS05 GHS07 Signal word (CLP) : Danger : POTASSIUM SULPHATE; CALCIUM NITRATE Hazardous ingredients Hazard statements (CLP) : H272 - May intensify fire; oxidiser. H302 - Harmful if swallowed. H318 - Causes serious eye damage. Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 - Keep away from clothing and other combustible materials.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

2.3. Other hazards No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
POTASSIUM SULPHATE	(CAS-No.) 7778-80-5 (EC-No.) 231-915-5 (REACH-no) 01-2119489441-34	0 - 95	Eye Dam. 1, H318
CALCIUM NITRATE	(CAS-No.) 15245-12-2 (EC-No.) 239-289-5 (REACH-no) 01-2119493947-16	0 - 95	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
CALCIUM CHLORIDE	(CAS-No.) 10043-52-4 (EC-No.) 233-140-8 (EC Index-No.) 017-013-00-2 (REACH-no) 01-2119494219-28	0 - 95	Eye Irrit. 2, H319
CALCIUM NITRATE ANH	(CAS-No.) 10124-37-5 (EC-No.) 233-332-1 (REACH-no) 01-2119495093-35	0 - 95	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	 Inhalation unlikely. Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
First-aid measures after skin contact	Wash off immediately with soap and plenty of water. In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Do NOT induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious). In all cases of doubt, or when symptoms persist, seek medical attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: Corrosive to the respiratory tract. May cause respiratory irritation.
Symptoms/effects after skin contact	: Contact during a long period may cause light irritation. Red skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Convulsions. Headache. Unconsciousness. Abdominal pain. Decreased renal function. Dizziness. Mental confusion. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Disturbances of heart rate. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Methemoglobinemia. Symptoms may be delayed.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. Keep under medical supervision for at least 48 hours. Overexposure to this material may result in methemoglobinemia.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Flood with plenty of water. Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use : dry chemical powder. Foam. Dry sand. Steam.
5.2. Special hazards arising from the substa	ance or mixture : Not combustible. May intensify fire; oxidiser.
Explosion hazard	: Risk of explosion if heated under confinement. May intensify fire; oxidiser.
Hazardous decomposition products in case of fire	: Thermal decomposition can lead to the release of irritating gases and vapours. Nitrogen oxides. Phosphorus oxides. Sulphur oxides. Potassium oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Keep upwind.
Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. May cause or intensify fire; oxidiser. Dilute toxic gases with water spray. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
Other information	: Move containers from fire area if it can be done without personal risk.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures General measures : See Heading 8.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Collect all waste in suitable and labelled containers and dispose according to local legislation. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For	containment	

: Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Methods for cleaning up

 Large spills: scoop solid spill into closing containers. Minimise generation of dust. On land, sweep or shovel into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage						
7.1. Precautions for safe handling						
Additional hazards when processed	: May intensify fire; oxidiser.					
Precautions for safe handling	: Provide local exhaust or general room ventilation. Keep away from sources of ignition - No smoking. Avoid dust formation. Keep container tightly closed to avoid moisture absorption and contamination. Take off contaminated clothing. Do not discharge the waste into the drain. Keep away from combustible materials.					
Hygiene measures	: Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Always wash hands after handling the product. Wash contaminated clothing before reuse.					
7.2. Conditions for safe storage, including a	ny incompatibilities					
Storage conditions	: Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.					
Incompatible materials	: Reducing agents. Acids. Strong alkalis. Combustible materials. Powdered metals. chromates, e.g. potassium chromate, potassium or sodium dichromate. Do not use with copper/aluminium/zinc - risk of corrosion. Do not mix with bases.					
Heat and ignition sources	: Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat and direct sunlight.					
Information on mixed storage	: Keep away from reducing agents/(strong) acids /(strong) bases.					
Storage area	: Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.					
Packaging materials	: Suitable packing materials. Polyethylene. Polypropylene.					
7.3. Specific end use(s) Fertilizers.						

SECTION 8: Exposure controls/personal protection 8.1. Control parameters POTASSIUM SULPHATE (7778-80-5) United Kingdom - Occupational Exposure Limits WEL TWA (mg/m³) 4 mg/m³ Inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Respirable dust; 10 mg/m³; United Kingdom; Time-weighted average exposure limit (EH40/2005) CALCIUM NITRATE (15245-12-2) EU - Occupational Exposure Limits CALCIUM NITRATE (15245-12-2) EU - Occupational Exposure Limits

CALCIUM NITRATE (respirable dust)	3 mg/m ³			
CALCIUM NITRATE (inhalable dust)	10 mg/m ³			

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation to minimize dust concentrations. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Do not exceed the occupational exposure limits (OEL).

Personal protective equipment:

Gloves. Protective clothing. Dust formation: dust mask. Protective goggles.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Materials for protective clothing:

Wear suitable protective clothing. EN 14605

Hand protection:

In the event of contact with molten product : Insulated gloves. EN 407. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Type Material		Permeation	Thickness (mm)	Penetration	Standard		
Chemically resistant protective gloves Nitrile rubber (NBR), Butyl rubber							
Eye protection:							
Chemical goggles or face shield with safety glasses. EN 166							
Skin and body protection:							
Wear suitable protective clothing							
Respiratory protection:							
Dust production: dust mask with filter type P1. Particle filter. EN 143. EN 405. EN 149							

Personal protective equipment symbol(s):



Environmental exposure controls:

Assure that emissions are compliant with all applicable air pollution control regulations.

OFOTION 0. Divisional and allowing a managements					
SECTION 9: Physical and chemical pro 9.1. Information on basic physical and chem					
Physical state					
Colour	: No data available				
Odour	: No data available				
Odour threshold	: No data available				
рН	: No data available				
Relative evaporation rate (butylacetate=1)	: No data available				
Melting point	: No data available				
Freezing point	: No data available				
Boiling point	: No data available				
Flash point	: No data available				
Auto-ignition temperature	: No data available				
Decomposition temperature	: No data available				
Flammability (solid, gas)	: No data available				
Vapour pressure	: No data available				
Relative vapour density at 20 °C	: No data available				
Relative density	: No data available				
Solubility	: No data available				
Log Pow	: No data available				
Viscosity, kinematic	: No data available				
Viscosity, dynamic	: No data available				
Explosive properties	: No direct explosion hazard.				
Oxidising properties	: May intensify fire; oxidiser.				
Explosive limits	: No data available				
9.2. Other information					
No additional information available					

SECTION 10: Stability and reactivity

10.1. Reactivity May intensify fire; oxidiser.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under recommended storage and handling conditions (see section 7).

10.4. Conditions to avoid

Avoid dust formation. Heat. Moisture. Direct sunlight.

10.5. Incompatible materials

Organic materials. Strong bases. Strong acids. Oxidizing agents and reducing agents. May be corrosive to metals. Combustible materials.

10.6. Hazardous decomposition products

On heating or during combustion : release of (highly) toxic gases/vapours. Nitrogen oxides. Phosphorous oxide. Sulphur oxides. Potassium oxides.

SECTION 11: Toxicological in 11.1. Information on toxicologica		
Acute toxicity (oral)	: Harmful if swallowed.	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
MULTIFEED		
ATE CLP (oral)	526.316 mg/kg bodyweight	

POTASSIUM SULPHATE (7778-80-5)

LD50 oral rat

6.6 mg/kg

CALCIUM NITRATE (15245-12-2)	
LD50 oral rat	300 - 2000 mg/kg bodyweight (OECD 423 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)

CALCIUM NITRATE ANH (10124-37-5) LD50 oral rat 300 - 2000 mg/kg bodyweight (OECD 423 method) LD50 dermal rat > 2000 mg/kg bodyweight (OECD 402 method) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Causes serious eye damage. Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified CALCIUM NITRATE (15245-12-2)

NOAEL (subacute, oral, animal/female, 28 days) > 1500 mg/kg bodyweight (OECD 407 method)	28 days) > 1000 mg/kg bodyweight (OECD 407 method)
NOALE (subacule, oral, animal/infinite, 20 days) > 1500 mg/kg bodyweight (OLOD 407 method)	, 28 days) > 1500 mg/kg bodyweight (OECD 407 method)

Aspiration hazard

: Not classified

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water	Based on available data, the classification criteria are not met.	
Acute aquatic toxicity	Not classified	
Chronic aquatic toxicity	Not classified	
POTASSIUM SULPHATE (7778-80-5)		
LC50 fish 2	653 - 796 mg/l (Lepomis macrochirus)	
EC50 Daphnia 1	890 mg/l (Daphnia magna)	
Threshold limit algae 1	2900 mg/l (EC50; 72 h; Scenedesmus subspicatus)	
Threshold limit algae 2	2900 mg/l (EC50; 72 h)	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CALCIUM NITRATE (15245-12-2)	
LC50 fish 1	447 mg/l 48h
EC50 Daphnia 1	> 100 mg/l (OECD 202 method)
EC50 72h algae (1)	> 100 mg/l (OECD 202 method)
NOEC chronic algae	100 mg/l (OECD 201 method)
CALCIUM NITRATE ANH (10124-37-5)	
LC50 fish 1	1378 mg/l POTASSIUM NITRATE
EC50 other aquatic organisms 1	490 mg/l POTASSIUM NITRATE
EC50 72h algae (1)	> 1700 mg/l 10d
12.2. Persistence and degradability	· · ·
MULTIFEED	
Persistence and degradability	Readily biodegradable in water.
POTASSIUM SULPHATE (7778-80-5)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Biodegradation	Not applicable
CALCIUM NITRATE (15245-12-2)	
Persistence and degradability	Readily biodegradable in water. according to Regulation (EC) No. 1907/2006 (REACH). Not relevant.
CALCIUM NITRATE ANH (10124-37-5)	
Persistence and degradability	Biodegradable.
12.3. Bioaccumulative potential	
MULTIFEED	
Bioaccumulative potential	Low bioaccumulation potential.
POTASSIUM SULPHATE (7778-80-5)	
Bioaccumulative potential	(No data available specific to the product).
CALCIUM NITRATE (15245-12-2)	
Log Pow	< 0
Bioaccumulative potential	Bioaccumulation unlikely.
CALCIUM NITRATE ANH (10124-37-5)	
Bioaccumulative potential 12.4. Mobility in soil	Low bioaccumulation potential.
MULTIFEED	
Ecology - soil	Expected to be highly mobile in soil.
CALCIUM NITRATE (15245-12-2)	
Ecology - soil	Soluble in water. Expected to be highly mobile in soil.
CALCIUM NITRATE ANH (10124-37-5)	
Ecology - soil	Expected to be highly mobile in soil.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment	
Component	
CALCIUM NITRATE (15245-12-2)	The product does not meet the PBT and vPvB classification criteria
12.6. Other adverse effects Other adverse effects	: Before neutralisation the acidity of the product may represent a danger to aquatic organisms.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: This material and its container must be disposed of in a safe way, and as per local legislation.
Product/Packaging disposal recommendations	: Discharging into rivers and drains is forbidden. Dispose as hazardous waste.
Additional information	: LWCA (the Netherlands): KGA category 06. Hazardous waste according to Directive 2008/98/EC.
European List of Waste (LoW) code	: 06 10 02* - wastes containing dangerous substances
HP Code	: HP2 - "Oxidising:" waste which may, generally by providing oxygen, cause or contribute to the combustion of other materials.

SECTION 14: Transport information

In accordance with ADN / ADR / IMDG / RID	
14.1. UN number	
UN-No. (ADR)	: UN 1479
UN-No. (IMDG)	: UN 1479
UN-No. (ADN)	: UN 1479
UN-No. (RID)	: UN 1479
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE)
Proper Shipping Name (IMDG)	: OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE)
Proper Shipping Name (ADN)	: OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE)
Proper Shipping Name (RID)	: OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE)
Transport document description (ADR)	: UN 1479 OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE), 5.1, III, (E)
Transport document description (IMDG)	: UN 1479 OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE), 5.1, III
Transport document description (ADN)	: UN 1479 OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE), 5.1, III
Transport document description (RID)	: UN 1479 OXIDIZING SOLID, N.O.S. (CONTAINS ; POTASSIUM NITRATE), 5.1, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 5.1

Danger labels (ADR)

: 5.1

: 5.1

: 5.1

: 5.1 : 5.1

IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

ADN

Transport hazard class(es) (ADN)	
Danger labels (ADN)	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3 - 3	3
	5.1
RID	•
Transport hazard class(es) (RID)	: 5.1
Danger labels (RID)	: 5.1
	5.1
14.4. Packing group	•
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (ADN)	: III
Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 02
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	
Packing instructions (ADR)	: P002, IBC08, LP02, R001 : B3
Special packing provisions (ADR)	: MP2
Mixed packing provisions (ADR) Portable tank and bulk container instructions	: MF2 : T1
(ADR)	
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Tank special provisions (ADR)	: TU3
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV24
Hazard identification number (Kemler No.)	: 50
Orange plates	50 1479
Tunnel restriction code (ADR)	: E
EAC code	: 1Y
Transport by sea	
Special provisions (IMDG)	: 223, 274, 900
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2000 (REACIT) with	
EmS-No. (Spillage)	: S-Q
Stowage category (IMDG)	: B
Segregation (IMDG)	: SG38, SG49, SG60, SG61
Inland waterway transport	
Classification code (ADN)	: 02
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: 02
Special provisions (RID)	: 274
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	s : TP33
Tank codes for RID tanks (RID)	: SGAN
Special provisions for RID tanks (RID)	: TU3
Transport category (RID)	: 3
Special provisions for carriage - Loading, unloading and handling (RID)	: CW24
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 50

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

regulations 15 January 2013 on the marketing and use of explosives precursors. (ANNEX II:	Other information, restriction and prohibition regulations	Substances on their own or in mixtures or in substances for which suspicious transactions
---	--	---

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out					
CALCIUM NITRATE					
SECTION 16: Other information					

SECTION 16: Other information Indication of changes: Section Comments Changed item Change Supersedes Added

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1.1 Product code Renoved 1.3 Details of the supplier of two strength of the strengt of the strength of the strength of th	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date Modified							
1.3 Details of the supplier of the safety data shoul Added 3.2 RRACH-□ Added 3.2 RRACH-□ Added 4.2 Symptoms/effects after ingestion Modified 4.2 Symptoms/effects after ingestion Modified 4.3 Other modical advice or treatment Modified 5.3 Firefighting instructions Modified 6.1 General measures Advided 6.1 Protective equipment Removed 6.1 Protective equipment Removed 6.1 Protective equipment Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.2 Environmental precacions Modified 7.2 Packaging materials Modified 7.2 Information on mixed storage Added 7.2 Information on mixed storage Modified 7.2 Respiratory procedures Modified 7.2 Respirato	1.1	Revision date						
safey data shead Adda Adda 32 REACH+no Adda 42 Symptoms/effects after ingeston Modified 42 Symptoms/effects after ingeston Modified 43 Other medical active or treatment Modified 5.3 Fieldfyling instructions? Modified 6.1 General measures Modified 6.1 Measures in case of dust release Removed 6.1 Measures in case of dust release Removed 6.1 Energency procedures Removed 6.1 Energency procedures Removed 6.1 Energency procedures Modified 7.1 Hygiene material precision metal pre								
4.2 Symptoms/effects after ingestion Modified Indextination 4.3 Other medical advice or treatment Modified Indextination 5.3 Firefighting instructions Modified Indextination 6.1 General measures Added Indextination 6.1 Measures in case of dust release Removed Indextination 6.1 Measures in case of dust release Removed Indextination 6.1 Emergency procedures Modified Indextination 7.1 Hygiene measures Modified Indextination 7.2 Packaging materials Modified Indextination 7.2 Information on nixed storage Added Indextination 7.2 Information on nixed storage Modified Indextination 7.2 Information on nixed storage Modified Indextination 7.2 Information on nixed storage Modified Indextination 7.2	1.3				Added			
4.2 Symptoms/effects Removed 4.3 Other medical advice or treatment Modified 5.3 Firefighting instructions Modified 6.1 General measures Added 6.1 Measures in case of dust release Removed 6.1 Protoctive equipment Removed 6.1 Protoctive equipment Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.2 Environmental proceautions Modified 7.1 Hygiene measures Modified 7.2 Storage area Added 7.2 Information on mixed storage Added 7.2 Information on mixed storage Modified 7.2 Incompatible materials Modified 7.2 Incompatible materials Modified 8.2 Respiratory procection Modified 8.3 Incompatible materials Modified 10.4 Conditions to avoid Modified 11 ProductPackaging disposal recommendations Modified 12.1 ProductPackaging disposal recommendations Added 13.1 HP Code <td>3.2</td> <td colspan="3">REACH-no</td> <td>Added</td> <td></td>	3.2	REACH-no			Added			
4.3 Other medical advice or treatment Modified Inclusion 5.3 Firefighting instructions Modified Inclusion 6.1 General measures Added Inclusion 6.1 Measures in case of dust release Removed Inclusion 6.1 Protective equipment Removed Inclusion 6.1 Emergency procedures Removed Inclusion 6.1 Emergency procedures Modified Inclusion 6.2 Environmental precedures Modified Inclusion 7.1 Hygiene measures Modified Inclusion 7.2 Backaging materials Modified Inclusion 7.2 Information on mixed storage Modified Inclusion 7.2 Incompatible materials Modified Inclusion 7.2 Heat and ignition sources Modified Inclusion 7.2 Heat and ignition sources Modified Inclusion 8.2 Appropriate engineering controls Modified Inclusion 8.2 Appropriate engineering controls Modified Inclusion 9.3 Incompatible materials Modified Inclusion 13.1 HP Code Added Inclusion <	4.2	Symptoms/effects after ingestion			Modified			
5.3 Firefighting instructions Modified Image: Second seco	4.2	Symptoms/	effects		Removed			
6.1 General measures Added 6.1 Measures in case of dust release Removed 6.1 Protective equipment Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Modified 7.1 Hygiene measures Modified 7.2 Packaging materials Modified 7.2 Storage area Added 7.2 Information on mixed storage Modified 7.2 Information on mixed storage Modified 7.2 Information on mixed storage Modified 7.2 Incompatible materials Modified 7.2 Incompatible materials Modified 7.2 Respiratory protection Modified 7.2 Respiratory protection Modified 7.2 Incompatible materials Modified 7.2 Respiratory protection Modified 7.2 Respiratory protection Modified 7.2 Respiratory protection Modified 7.3 HP Code Added 7.4 Storage conditions Modified <t< td=""><td>4.3</td><td colspan="3">Other medical advice or treatment</td><td>Modified</td><td></td></t<>	4.3	Other medical advice or treatment			Modified			
6.1 Measures in case of dust release Removed 6.1 Protective equipment Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.2 Environmental precautions Modified 7.1 Hygiene measures Modified 7.2 Packaging materials Modified 7.2 Storage area Added 7.2 Information on mixed storage Modified 7.2 Information on mixed storage Modified 7.2 Incompatible materials Modified 7.2 Respiratory protection Modified 7.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 11.1 ProductPackaging disposal recommentations Modified 13.1 HP Code Added Futures of H- and EUH-sture Serious eye damage/eye initation, Category 1 Serious eye damage/eye initation, Category 2 Cox Sol - 3 Oxiding Solies, Category 3 <tr< td=""><td>5.3</td><td colspan="3">Firefighting instructions</td><td>Modified</td><td></td></tr<>	5.3	Firefighting instructions			Modified			
6.1 Protective equipment Removed 6.1 Emergency procedures Removed 6.1 Protective equipment Removed 6.1 Protective equipment Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.1 Emergency procedures Removed 6.2 Environmental proceduros Modified 7.1 Hygiene measures Modified 7.2 Packaging materials Modified 7.2 Informatione numeed storage Added 7.2 Incompatible materials Modified 7.2 Incompatible materials Modified 7.2 Storage controls Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 13.1 HP Code Added 13.1 Product/Packaging di	6.1	General me	easures		Added			
6.1 Emergency procedures Removed 6.1 Protective equipment Removed 6.1 Emergency procedures Removed 6.2 Environmental proceutions Modified 7.1 Hygiene measures Modified 7.2 Packaging materials Modified 7.2 Storage area Added 7.2 Information on mixed storage Added 7.2 Heat and ignition sources Modified 7.2 Heat and ignition sources Modified 7.2 Information on mixed storage Modified 7.2 Heat and ignition sources Modified 7.2 Information on mixed storage Modified 7.2 Incompatible materials Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 13.1 HP Code Added 13.1 Product/Packaging disposal recommendations Added Serious eye damage/eye irritation, Category 1 Eye Pam. 1 Serious eye damage/eye irritation, Category 2 Incompatible Oxidising Solids. Category 3 Incompatible	6.1	Measures in	n case of dust rel	ease	Removed			
6.1 Protective equipment Removed 6.1 Emergency procedures Removed 6.2 Environmental precautions Modified 7.1 Hygiene measures Modified 7.2 Packaging materials Modified 7.2 Packaging materials Modified 7.2 Storage area Added 7.2 Information on mixed storage Added 7.2 Heat and ignition sources Modified 7.2 Incompatible materials Modified 7.2 Incompatible materials Modified 8.2 Respiratory protection Modified 8.2 Respiratory protection Modified 10.4 Conditions to avid Modified 11.1 HP Code Added 12.1 Respiratory protections Modified 13.1 HP Code Added 13.1 HP Code Added 14.1 Product/Packaging disposal Added 15. Incompatible materials Modified 16.1 Aproprimendatorns Added	6.1	Protective e	equipment		Removed			
6.1 Emergency procedures Removed 6.2 Environmental precautions Modified 7.1 Hygiene measures Modified 7.2 Packaging materials Modified 7.2 Packaging materials Modified 7.2 Information on mixed storage Added 7.2 Information on mixed storage Added 7.2 Heat and ignition sources Modified 7.2 Incompatible materials Modified 7.2 Incompatible materials Modified 7.2 Storage conditions Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 11.1 HP Code Added 13.1 HP Codur(Packaging disposal recommentations Added Full text of H- and EUH-statements: Koute toxicity (oral), Category 4 Every 1 Serious eye damage/eye irritation, Category 2 Oxidising Solids, Category 3 Harriful if swallowed. Harriful if swallowed. Harriful if swallowed. Harriful if swallowed. <	6.1	Emergency	procedures		Removed			
6.2Environmental precautionsModified7.1Hygiene measuresModified7.2Packaging materialsModified7.2Storage areAdded7.2Storage areAdded7.2Information on mixed storageAdded7.2Information on mixed storageModified7.2Heat and ignition sourcesModified7.2Heat and ignition sourcesModified7.2Storage conditionsModified8.2Respiratory protectionModified8.2Appropriate engineering controlsModified10.4Conditions to avoidModified10.5Incompatible materialsModified13.1HP CodeAdded13.1HP CodeAddedFull text of H and EUH-statements:Custes to X.4 (Oral)Acute toxicity (oral), Category 4Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Ox. 30.3Oxidising Solidis, Category 3H272Hamful if swallowed.H319Causes serious eye inritation.Causes serious eye inritationCauses serious eye inritation.H319H272Calculation methodOx. Sol. 3H272Calculation method	6.1	Protective e	equipment		Removed			
7.1Hygien measuresModified7.2Packaging materialsModified7.2Storage aresAdded7.2Information on mixed storageAdded7.2Information on mixed storageAdded7.2Heat and ignition sourcesModified7.2Heat and ignition sourcesModified7.2Storage conditionsModified7.2Storage conditionsModified8.2Respiratory protectionModified8.2Appropriate engineering controlsModified8.2Appropriate engineering controlsModified10.4Conditions to avoidModified13.1HP CodeAdded13.1HP CodeAddedFull text of H- and EUH-statemeticSerious eye damage/eye irritation, Category 1Eye Imit 2Serious eye damage/eye irritation, Category 2Oxidising Solids, Category 3Harmful if swallowed.Harmful if swallowed.Harmful if swallowed.Harmful if swallowed.Else stricus eye damage.Harmful if swallowed.Harmful if swallowed. <td< td=""><td>6.1</td><td>Emergency</td><td>procedures</td><td></td><td>Removed</td><td></td></td<>	6.1	Emergency	procedures		Removed			
7.2Packaging materialsModified7.2Storage areAdded7.2Information on mixed storageAdded7.2Information sourcesModified7.2Incompatible materialsModified7.2Incompatible materialsModified7.2Storage conditionsModified8.2Respiratory protectionModified8.2Appropriate engineering comtosModified10.4Conditions to avoidModified10.5Incompatible materialsModified13.1HP CodeAdded13.1Product/Packaging disposal recommendationsAddedFull text of H- and EUH-statements:Acute toxicity (oral)Acute toxicity (oral)Serious eye damage/eye irritation, Category 1Eye Imit. 2Serious eye damage/eye irritation, Category 2Oxidiaing Solids, Category 3Harrful if swallowed.Harrful if swallowed.Harrful if swallowed.Harrful if swallowed.Cause serious eye damage.Cause serious	6.2	Environmental precautions			Modified			
7.2 Storage area Added 7.2 Information on mixed storage Added 7.2 Information on mixed storage Added 7.2 Incompatible materials Modified 7.2 Incompatible materials Modified 7.2 Storage conditions Modified 7.2 Storage conditions Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 10.5 Incompatible materials Modified 13.1 HP Code Added 13.1 Product/Packaging disposal recommendations Added Full text of H- and EUH-statements: Full text of H- and EUH-statements: Full text of H- and EUH-statements: Added Ever trix. 4 (Oral) Acute toxicity (oral), Category 4 Ever trix. 2 Serious eve damage/eve irritation, Category 1 Ever trix. 2 Oxidising Solids, Category 3 Harmful if swallowed. Harmful if swallowed. Harmful if swalloweeve irritation, Category 1	7.1	Hygiene measures			Modified			
7.2 Information on mixed storage Added 7.2 Information on mixed storage Modified 7.2 Incompatible materials Modified 7.2 Storage conditions Modified 7.2 Storage conditions Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 10.5 Incompatible materials Modified 13.1 Incompatible materials Modified 13.1 Product/Packaging disposal recommendations Added Full text of H- and EUH-statements: Full text of H- and EUH-statements: Serious eye damage/ye irritation, Category 1 Eye Irrit. 2 Serious eye damage/ye irritation, Category 2 Ox Sol. 3 Vidising Solids, Category 3 Harmful if swallowed. Harmful if swallower <td>7.2</td> <td colspan="3">Packaging materials</td> <td>Modified</td> <td></td>	7.2	Packaging materials			Modified			
7.2 Heat and ignition sources Modified 7.2 Incompatible materials Modified 7.2 Storage conditions Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 10.5 Incompatible materials Modified 10.5 Incompatible materials Modified 10.5 Incompatible materials Modified 13.1 HP Code Added 13.1 HP Code Added 13.1 Product/Packaging disposal recommendations Added Full text of H- and EUH-statements: Full text of H- and EUH-statements: Serious eye damage/eye irritation, Category 4 Eye Irrit. 2 Oxidising Solids, Category 3 H272 May intensify fire; oxidiser. H310 Cause serious eye damage. H311 Cause serious eye damage. H319 Cause serious eye damage. H319 Cause serious eye damage. Calculation method <	7.2	Storage area			Added			
7.2 Incompatible materials Modified 7.2 Storage conditions Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 10.5 Incompatible materials Modified 10.5 Incompatible materials Modified 13.1 HP Code Added 13.1 HP Code Added 13.1 Product/Packaging disposal recommendations Added Fult text of H- and EUH-statements: Added Serious eye damage/eye irritation, Category 4 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Ox. sol. 3 May intensify fire; oxidiser. H272 May intensify fire; oxidiser. H318 Causes serious eye damage. Clause serious eye damage. </td <td>7.2</td> <td colspan="2">Information on mixed storage</td> <td>е</td> <td>Added</td> <td></td>	7.2	Information on mixed storage		е	Added			
7.2 Storage conditions Modified 8.2 Respiratory protection Modified 8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 10.5 Incompatible materials Modified 13.1 HP Code Added 13.1 HP Code/TPackaging disposal recommendations Added Full text of H- and EUH-statements: Full text of H- and EUH-statements: Added Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Oxidising Solids, Category 3 H272 May intensify fire; oxidiser. H318 Causes serious eye damage. H319 Causes serious eye irritation. Causes serious eye damage. H319 H272 Causes serious eye irritation. Causes serious eye irritation. Causes serious eye damage. H319 Causes serious eye irritation. Causes serious eye irritation. Causes serious eye irritation.	7.2	_			Modified			
8.2Respiratory protectionModified8.2Appropriate engineering controlsModified10.4Conditions to avoidModified10.5Incompatible materialsModified13.1HP CodeAdded13.1Product/Packaging disposal recommendationsAdded13.1Product/Packaging disposal recommendationsAddedFull text of H- and EUH-stements:Acute Tox. 4 (Oral)Acute toxicity (oral), Category 4Serious eye damage/eye irritation, Category 1Serious eye damage/eye irritation, Category 2Ox. Sol. 3Oxidis Solids, Category 3Harmful if swallowed.Harmful if swallowed.Harmful if swallowed.Causes serious eye damage.Clause serious eye tamage.Clause serious eye tamage. <td>7.2</td> <td>Incompatibl</td> <td>le materials</td> <td></td> <td>Modified</td> <td></td>	7.2	Incompatibl	le materials		Modified			
8.2 Appropriate engineering controls Modified 10.4 Conditions to avoid Modified 10.5 Incompatible materials Modified 13.1 HP Code Added 13.1 HP Code/Packaging disposal recommendations Added Full text of H- and EUH-statements: Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Ox. Sol. 3 Oxidising Solids, Category 3 H272 May intensify fire; oxidiser. H318 Causes serious eye damage. H319 Causes serious eye irritation. Clausel serious eye irritation. Clauses serious eye irritation. H318 Causes serious eye irritation. Clauses serious eye irritation. Clauses serious eye irritation. Clauses serious eye irritation. H319 Causes serious eye irritation. Clause for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation metho	7.2	Storage conditions		Modified				
10.4 Conditions to avoid Modified 10.5 Incompatible materials Modified 13.1 HP Code Added 13.1 HP Code Added 13.1 Product/Packaging disposal recommendations Added Full text of H- and EUH-statements: Full text of H- and EUH-statements: Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Eye Irrit. 2 Serious eye damage/eye irritation, Category 3 Oxidising Solids, Category 3 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye irritation. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation method Ox. Sol. 3 H272 Calculation method	8.2	Respiratory protection		Modified				
10.5Incompatible materialsModified13.1HP CodeAdded13.1Product/Packaging disposal recommediationsAdded13.1Product/Packaging disposal recommediationsAddedFull text of H- and EUH-statements:Full text of H- and EUH-statements:Acute Tox. 4 (Oral)Acute toxicity (oral), Category 4Serious eye damage/eye irritation, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 2Ox. Sol. 3Oxidising Solids, Category 3H272May intensify fire; oxidiserHarmful if swallowed.H318Causes serious eye damage.H319Causes serious eye irritation.Classification and procedure used to trive the classification methodAcute Tox. 4 (Oral)H272Algo Calculation method	8.2	Appropriate engineering controls		Modified				
13.1HP CodeAdded13.1Product/Packaging disposal recommendationsAdded13.1Product/Packaging disposal recommendationsAddedFull text of H- and EUH-statements:Acute Tox. 4 (Oral)Acute toxicity (oral), Category 4Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Ox. Sol. 3May intensify fire; oxidiser.H318Cause serious eye damage.H319Causes serious eye irritation.Classification and procedure used to derive the classification methodCalculation methodAcute Tox. 4 (Oral)H302H272Calculation method	10.4	Conditions to avoid		Modified				
13.1Product/Packaging disposal recommendationsAddedFull text of H- and EUH-statements:Acute tox. 4 (Oral)Acute tox. 4 (Oral)AddedAddedAddedAddedSerious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Ox. Sol. 3May intensify fire; oxidiser.H318Causes serious eye damage.H318Causes serious eye irritation.Classification and procedure used to erive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Ox. Sol. 3H272Calculation methodAcute Tox. 4 (Oral)H302Calculation method	10.5	Incompatible materials		Modified				
recommendations Full text of H- and EUH-statements: Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Ox. Sol. 3 Oxidising Solids, Category 3 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. Classification and procedure used to terive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation method Acute Tox. 4 (Oral) H302 Calculation method	13.1	HP Code		Added				
Full text of H- and EUH-statements: Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Ox. Sol. 3 Oxidising Solids, Category 3 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Ox. Sol. 3 H272 Causer Serious eye damage. H319 Causer Serious eye irritation. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation method Acute Tox. 4 (Oral) H302 Calculation method	13.1			Added				
Acute Tox. 4 (Oral)Acute toxicity (oral), Category 4Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Ox. Sol. 3Oxidising Solids, Category 3H272May intensify fire; oxidiser.H302Harmful if swallowed.H318Causes serious eye damage.H319Causes serious eye irritation.Classification and procedure used to erive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Ox. Sol. 3H272Acute Tox. 4 (Oral)H302Calculation method								
Eye Dam. 1Serious eye damage/eye irritation, Category 1Eye Irrit. 2Serious eye damage/eye irritation, Category 2Ox. Sol. 3Oxidising Solids, Category 3H272May intensify fire; oxidiser.H302Harmful if swallowed.H318Causes serious eye damage.H319Causes serious eye irritation.Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Ox. Sol. 3H272Acute Tox. 4 (Oral)H302Calculation method		נמופווופוונס.	Acute toxicity (or	ral). Ca	ategory 4			
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Ox. Sol. 3 Oxidising Solids, Category 3 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Acute Tox. 4 (Oral) H302								
Ox. Sol. 3Oxidising Solids, Category 3H272May intensify fire; oxidiser.H302Harmful if swallowed.H318Causes serious eye damage.H319Causes serious eye irritation.Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Ox. Sol. 3H272Acute Tox. 4 (Oral)H302Calculation method								
H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation method Acute Tox. 4 (Oral) H302 Calculation method								
H318 Causes serious eye damage. H319 Causes serious eye irritation. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation method Acute Tox. 4 (Oral) H302 Calculation method	H272 May intensify fire; o		e; oxidi	diser.				
H319 Causes serious eye irritation. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation method Acute Tox. 4 (Oral) H302 Calculation method	H302 H							
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Ox. Sol. 3 H272 Calculation method Acute Tox. 4 (Oral) H302 Calculation method	H318		Causes serious eye damage.					
Ox. Sol. 3 H272 Calculation method Acute Tox. 4 (Oral) H302 Calculation method	H319		Causes serious eye irritation.					
Acute Tox. 4 (Oral) H302 Calculation method	Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:							
	Ox. Sol. 3		H272	Calcul	ation method			
	Acute Tox. 4 (Oral)		H302	Calcul	ation method			
Eye Dam. 1 H318 Calculation method	Eye Dam. 1		H318 Calculation method					

SDS EU (REACH Annex II)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.